ANA IHBAS

INSTITUTE OF HUMAN BEHAVIOUR & ALLIED SCIENCES (IHBAS)

(An Autonomous Body under the Government of National Capital Territory of Delhi)

G.T. Road: Dilshad Garden, Post Box 9520, Delhi-110 095 At work: Phones: 91-11-22114021,22114029,22114032; Fax: 91-11-22583589

E.Mail: dmsihbas@gmail.com

Dr. Deepak Kumar
M. D., D.N.B. (Psychiatry)

Associate Professor, Department of Psychiatry &
Dy. Med. Superintendent

F.12/ANS/IHBAS/2019/59

Date 08/04/19

To

The Directorate Biomedical Waste Management Cell DHS, F-17 Karkardooma, Delhi 110032

Subject: Submission of Quarterly Report from January 2019 to March 2019

Sir,

Please find enclosed the quarterly report in prescribed format regarding bio- medical waste status at this Institute for the year 2019.

(Dr. Deepak Kumar)

Quarterly information required for BMW Management as per BMW Rules 2016

| S.No. | Particulars | |
|-------|------------------------------------------------------------------------|--------------------------------------------------------------------------|
| 1. | | INSTITUTE OF HUMAN BEHAVIOUR AND ALLIED SCIENES VILISHAD CHAROEN SITU |
| 2. | No. of authorized/sanctioned beds | 297 |
| 3. | | WR. N.G. WESAI (WIRECTOR) |
| 4. | Phone No. Fax, E-mail | FAX NO 22599227 |
| 5. | Whether authorization from Delhi Pollution Control Committee obtained? | yes. |
| 6. | If yes, Authorisation No., date of issue and validity | DPCC BMW AUTH INEW NO. 2017 102674 DATED 2711/2017, VALID - 10/6/2019 |
| 7. | Whether in house treatment facility available? | YES 2+11/2014, VHLIB - 10/6/2019 |
| | 7A. If yes, write- | MICROWAVE FOR LAB WASTE. |
| | 7B. If No. how is the BMW treated? OTHER WASTE | BY SMS WASTER GRACE PUT LID. |
| | 7C. Whether tie up with CBWTF Operator (name) | SMS WATTER GIRACE PUT LTD. |
| 8 | Whether Nodal Officer for BMW Management designated? | Yes. |
| - | 8A. If yes-pl. give name & phone No. | OR. RENU GIUPTA 9868386833 |
| 9. | Whether Biomedical Waste Management Committee formed? | yes. |
| | 9A. If yes, give name of the members | MEMBERS LIST ENCLOSES. |
| | 9B. Date of last meeting | 27/2/2019 |
| 10. | Whether Colour Coded Segregation Containers available? | yes. |
| | 10A. If yes-what is colour coding | RES, YELLOW |
| 11. | Whether Colour Codded Segregation Liners/Bags available? | 2 3 <i>Y</i> |
| | 11A. If yes, what colours? | REA, YELLOW. |
| 12. | Whether using Biohazard and Cytoxic Symbols | yes. |
| 13. | Whether Packaging & labeling practiced | AFZ. |
| 14. | Whether puncture proof sharps containers available for metal sharps? | Aez |
| 15. | How is glass sharp segregated? | THROUGH BLUE CHRA BOARA BOXES |
| 16. | Whether the laboratory waste is pretreated? | . 294 |
| 17. | If yes, by what method? | BY MICROWAVE. |

| 1.0 | | |
|------|----------------------------------------------------------------------|-------------------------------------------|
| 18. | Quantity of laboratory waste/monthwise | 347 Kgs. |
| 19. | Is there any provision internal storage? | Yes. |
| 20. | Whether there are any use of wheel barrow/trolleys? | YES. |
| 21. | Is there any separate provision of washing facilities for containers | JES. |
| | 21A. If No, where these containers are washed? | * |
| 22. | Is there any centralized storage site? | YE2. |
| | 22A. Is there any provision of lock and key for BMW storage? | YES. |
| 23. | Whether needle destroyers available? | YES. |
| 24. | Whether the hand hygiene is practiced n the hospital | 4 ts. |
| | 24A. If yes, how is it monitored | DBSERVED BY HILL STAFF IN PATIENT |
| 25. | Is there any Spill Management Protocol | CARE AREA FOR ONE HOUR THICE A WEEK. YES. |
| 26. | Is there any Provision for Management of Mercury Waste, Heavy Metals | MERCURY TOTALLY PHASES OUT |
| 27. | Whether records are maintained properly? | Jec . |
| | 27A. If yes, whether verified by the Chairman/Nodal Officer | Aec. |
| 28. | Whether there is daily supervision? | JET. |
| | 24A. If yes, whether the records are maintained | y es. |
| 29. | Is there any provision of separate waste weighing machine | yes. |
| | 25A. If yes, whether daily record of weight maintained | प्रहाः |
| 30. | Whether in cytotoxic drug vials are managed as per rules. | NOT USED IN THIS PERIOD |
| | 30 A. If yes, how they are managed. | - |
| 31 | Whether there is any injury register | yes |
| | 31 A. If yes, whether there is needle stick injury protocol | |
| 32. | Is there any separate Budget Hear for BMW? | yes. |
| 33. | Whether SOPs/ guidelines available | yes |
| 34. | Is there any provision of Training/Retraining in BMW Management | |
| Ty : | 34A. If yes, the. No. of personnel trained during the quarter | |
| 35. | Is there any IEC/Community awareness | yes. |
| 36. | Whether Waste Audit carried out? | No. |

| | 36 A. If yes, whether the | |
|-------|---------------------------------------------------------------------------------|----------------------------------------------------------|
| | 36 A. If yes, whether the audit report submitted to the head of the institution | |
| 7. | Whether monthly reports submitted to DHS | 1100 |
| 3, | Whether Quarterly reports submitted to DHS | 962. |
| | | YES. |
|)_ | Whether Annual Monthly Reports submitted to DPCC | 23Y |
| | Whether regular inspections carried out by hospital | |
| | | Aet. |
| | Whether consent obtained under air and water Act | 462. |
| | Whether Acoustic enclosures for generator sets present | |
| | | yes. |
| | Whether effluent treatment plant (ETP) installed in the Hospital | |
| | If yes, attach copy of laboratory Report authorized by DPCC | |
| | Whether Personal Protective Equipment (PPE) used BMW staff | |
| | | yes. |
| | Whether the staff posted at BMW is medically examined | ye2 |
| | 46A. If yes, how frequently | |
| | | 6 MONTHLY |
| 77700 | 46B. Whether immunized against Tetanus and Hepatitis | YES |
| | Quantum of waste generated | |
| | Incinerable | JANUARY FEBRUARY MARCH 286-500Kgs 553-450kgs 308-210 for |
| | Autoclavable/Microwavable Sharps | 774 1401 |
| | Total | 191 Kgs 204.50 kgs. 207.310 kgs. |
| | | 1248kg 1348.500kg. 1276.350kg. |

Signature of Nodal Officer/Chairperson Signature of MS/CDMO: