



INSTITUTE OF HUMAN BEHAVIOUR & ALLIED SCIENCES (IHBAS)

(An Autonomous Body under the Government of National Capital Territory of Delhi)

G.T. Road: Dilshad Garden, Post Box 9520, Delhi-110 095

At work: Phones: 91-11-22114021,22114029,22114032; Fax: 91-11-22583589

E.Mail: dmsihbas@gmail.com

Dr. Deepak Kumar

M. D., D.N.B. (Psychiatry)

Associate Professor, Department of Psychiatry &

Dy. Med. Superintendent

F.12/ANS/IHBAS/2020/ 054

Date 05/05/2020

To

The Directorate
Biomedical Waste Management Cell
DHS, F-17
Karkardooma, Delhi 110032

Subject: Submission of Quarterly Report from January 2020 to March 2020

Sir,

Please find enclosed the quarterly report in prescribed format regarding bio- medical waste status at this Institute for the year 2020.

(Dr. Deepak Kumar)

Quarterly information required for BMW Management as per BMW Rules 2016

S.No.	Particulars	
1.	Name address of the Hospital	IHBAS (INSTITUTE OF HUMAN BEHAVIOUR & ALLIED SCIENCES) WILSHAB GARDEN SECT-95
2.	No. of authorized/sanctioned beds	282
3.	Name of the occupier (MS/Director)	DR. N. G. DESAI (DIRECTOR)
4.	Phone No. Fax, E-mail	FAX NO. 22599227
5.	Whether authorization from Delhi Pollution Control Committee obtained?	YES
6.	If yes, Authorisation No., date of issue and validity	DPEC (11) (5) (01) / 2019 / BMW / MS / AUTH / 1995950 DATA - 15/11/2019, VALID - 07/07/2024
7.	Whether in house treatment facility available?	YES
	7A. If yes, write-	MICROWAVE FOR LAB WASTE
	7B. If No. how is the BMW treated?	OTHER WASTE BY SMS WATER GIRAL PVT LTD.
	7C. Whether tie up with CBWTF Operator (name)	SMS WATER GIRAL PVT LTD.
8.	Whether Nodal Officer for BMW Management designated?	YES
	8A. If yes-pl. give name & phone No.	DR. RENU GUPTA 9868386833
9.	Whether Biomedical Waste Management Committee formed?	YES
	9A. If yes, give name of the members	MEMBERS LIST ENCLOSED
	9B. Date of last meeting	22/2/2020
10.	Whether Colour Coded Segregation Containers available?	YES
	10A. If yes-what is colour coding	RED, YELLOW
11.	Whether Colour Coded Segregation Liners/Bags available?	YES
	11A. If yes, what colours?	RED, YELLOW
12.	Whether using Biohazard and Cytotoxic Symbols	YES
13.	Whether Packaging & labeling practiced	YES
14.	Whether puncture proof sharps containers available for metal sharps?	YES
15.	How is glass sharp segregated?	THROUGH BLUE CARB BOARD BOXES
16.	Whether the laboratory waste is pretreated?	YES
17.	If yes, by what method?	BY MICROWAVE

	Quantity of laboratory waste/monthwise	JAN-155 Kg FEB-120Kg MARCH 130Kg
19.	Is there any provision internal storage?	YES
20.	Whether there are any use of wheel barrow/trolleys?	YES
21.	Is there any separate provision of washing facilities for containers	YES
	21A. If No, where these containers are washed?	-
22.	Is there any centralized storage site?	YES
	22A. Is there any provision of lock and key for BMW storage?	YES
23.	Whether needle destroyers available?	YES
24.	Whether the hand hygiene is practiced in the hospital	YES
	24A. If yes, how is it monitored	OBSERVED BY HCL STAFF IN PATIENT CARE AREA FOR ONE HOUR TWICE A WEEK.
25.	Is there any Spill Management Protocol	YES
26.	Is there any Provision for Management of Mercury Waste, Heavy Metals	MERCURY TOTALLY PHASED OUT
27.	Whether records are maintained properly?	YES
	27A. If yes, whether verified by the Chairman/Nodal Officer	YES
28.	Whether there is daily supervision?	YES
	28A. If yes, whether the records are maintained	YES
29.	Is there any provision of separate waste weighing machine	YES
	29A. If yes, whether daily record of weight maintained	YES
30.	Whether in cytotoxic drug vials are managed as per rules.	NOT USED IN THIS PERIOD
	30 A. If yes, how they are managed.	-
31.	Whether there is any injury register	YES
	31 A. If yes, whether there is needle stick injury protocol	YES
32.	Is there any separate Budget Head for BMW?	YES
33.	Whether SOPs/ guidelines available	YES
34.	Is there any provision of Training/Retraining in BMW Management	YES
	34A. If yes, the No. of personnel trained during the quarter	Doctors- 04 Nurses- 206 Technicians- 27 Gr.IV employees- 199 Any others- 01
35.	Is there any IEC/Community awareness	YES
36.	Whether Waste Audit carried out?	YES

	36 A. If yes, whether the audit report submitted to the head of the institution	YES
37.	Whether monthly reports submitted to DHS	YES
38.	Whether Quarterly reports submitted to DHS	YES
39.	Whether Annual Monthly Reports submitted to DPCC	YES
40.	Whether regular inspections carried out by hospital administration	YES
41.	Whether consent obtained under air and water Act	YES
42.	Whether Acoustic enclosures for generator sets present	YES
43.	Whether effluent treatment plant (ETP) installed in the Hospital	YES
44.	If yes, attach copy of laboratory Report authorized by DPCC	COPY ATTACHED
45.	Whether Personal Protective Equipment (PPE) used BMW staff	YES
46.	Whether the staff posted at BMW is medically examined	YES
	46A. If yes, how frequently	6 MONTHLY
	46B. Whether immunized against Tetanus and Hepatitis B	YES
47.	Quantum of waste generated	JANUARY FEBRUARY MARCH
	Incinerable	675.260gm 140.400gm 357.640gm
	Autoclavable/Microwavable	721.110gm 631.90gm 683.400gm
	Sharps	178.660gm 157.330gm 174.560gm
	Total	1574.030gm 928.820gm 1215.600gm

Signature of Nodal Officer/Chairperson:
Signature of MS/CDMO:

Signature
1/5/20

Signature
Name: _____
Nursing Officer
HIC, IHBAS
Dilshad Garden, Delhi-95
29/4/2020

Signature
Name: _____
Nursing Officer
HIC
Dilshad Garden, Delhi-95
29/4/2020 (HIC & BMW)

WATER LABORATORY

DELHI POLLUTION CONTROL COMMITTEE
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006
visit us at <http://dpcocomm.nic.in>

Lab No- DPCC/Comm/W/4068

Date: 09/03/2020


17/3/20

LAB REPORT

1. Name & Address of Unit : M/s. INSTITUTE OF HUMAN BEHAVIOUR AND ALLIED SCIENCES
Dilshad Garden
Delhi-110092
2. Sampling Location : ETP Outlet
3. Date of sampling : 02/03/2020
4. Sample collected by : DPCC Lab
5. Control Measure (if any) : ETP
6. Nature of sample : Grab
7. Nature of Industry : Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and without boiler
8. Parameter analyzed and result

S. No.	Parameters	ETP Outlet	Prescribed Standard
1	pH	7.9	6.5-9.0
2	Total Suspended Solids (TSS)	26	100.0
3	Oil and Grease	1.6	10.0
4	Bio - assay Test (percent survival of fish after 96 hours in 100 percent effluent)	100	90.0-100.0
5	Bio-Chemical Oxygen Demand(BOD)[3 days at 27°C]	18	30.0
6	Chemical Oxygen Demand(COD)	56	250.0

*All parameters are in mg/l except pH



Dr. Nandita Moitra
I/C Water Laboratory

Dr. NANDITA MOITRA
Scientist 'C'



SSA/Analyst/JLA

List of BMW Management Committee members

S.No.	Name	Designation
1	Dr Deepak Kumar	Psychiatry intervention and Controls (DMS)
2	Dr Renu Gupta	Chairperson HIC &OIC BMW
3	Dr Ravinder Singh	OIC Sanitation
4	Mr M.S. Bhati	EE (Civil)
5	Mr. Anil Kumar Rai	ANS (HIC & BMW)
6	Mrs Sunita Rani	Senior Nursing Officer, HIC,BMW
7	Mrs Priti Smart	Nursing Officer HIC & BMW
8	Mrs Deepa Anand	Nursing Officer HIC & BMW
9	Mr Vijay Bhan	Nodal Officer, Sanitation